



## C50 - 3:1 PUMP FOR 208 L DRUM

MANUFACTURE AND DEVELOPMENT USING THE LATEST TECHNOLOGY

 [WWW.EUROLUBE.COM](http://WWW.EUROLUBE.COM)

## C50 - 3:1 PUMP FOR 208 L DRUM

Unique pre-lubricated air motor, lubricator NOT required. Quiet and double acting operation and easy to fit to drum, 2" drum adapter included

### TECHNICAL DATA

Part No	B13760
Ratio	3:1
Capacity	25 l/min
For container	208 l Drum
Air connection	1/4" (F) BSP
Maximum air pressure	1,0 (10) MPa (bar)
Outlet	3/4" (F) BSP
Pump tube	34 (915) Ø (length) mm
Seals	NBR/PU
Packaging LxWxH	1,23 x 0,1 x 0,1 m
Weight (Gross)	4,9 kg
H.S. Code	84131100



## EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL [eurolube@alentec.se](mailto:eurolube@alentec.se)

PHONE +46 (0)8-747 67 10

FAX +46 (0)8-715 20 74

 [www.eurolube.com](http://www.eurolube.com)

## RELATED PRODUCTS

**18715**

FILTER REGULATOR 1/4"



## EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL [eurolube@alentec.se](mailto:eurolube@alentec.se)

PHONE +46 (0)8-747 67 10

FAX +46 (0)8-715 20 74

 [www.eurolube.com](http://www.eurolube.com)