



C50 1:1 STUB PUMP

MANUFACTURE AND DEVELOPMENT USING THE LATEST TECHNOLOGY

 WWW.EUROLUBE.COM

C50 1:1 STUB PUMP

Eurolube's air operated pumps are designed for the most demanding operations. Unique pre-lubricated air motor design, lubricator NOT required. Quiet and double acting operation and easy to fit to drum or tank, 2" drum adapter included

TECHNICAL DATA

Part No	B11741
Ratio	1:1
Capacity	40 l/min free flow
Air connection	1/4" (F) BSP
Maximum air pressure	1,0 (10) MPa (bar)
Inlet	1" (F) BSP
Outlet	3/4" (F) BSP
Pump tube	52 (212) Ø (length) mm
Seals	NBR/PU
Packaging LxWxH	0,53 x 0,1 x 0,1 m
Weight (Gross)	3 kg
H.S. Code	84135069



EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL *eurolube@alentec.se

PHONE +46 (0)8-747 67 10


FAX +46 (0)8-715 20 74

 www.eurolube.com

RELATED PRODUCTS

16730

WALL BRACKET FOR PUMPS



1517405

PUMP TUBE B11741, C11745



EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL *eurolube@alentec.se

PHONE +46 (0)8-747 67 10

FAX +46 (0)8-715 20 74

 www.eurolube.com