



WASTE OIL STRAINER

MANUFACTURE AND DEVELOPMENT USING THE LATEST TECHNOLOGY

 WWW.EUROLUBE.COM

WASTE OIL STRAINER

Strainer equipped with a stainless steel mesh insert.

TECHNICAL DATA

Part No	16797
Maximum working pressure	2,0 (20) MPa (bar)
Maximum temperature	80 °C
Filtration	600 µm
Connection	1 1/4" (F)-(F) BSP
Packaging LxWxH	0,28 x 0,15 x 0,18 m
Weight (Gross)	0,85 kg
H.S. Code	84212980



EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL eurolube@alentec.se

PHONE +46 (0)8-747 67 10

FAX +46 (0)8-715 20 74

 www.eurolube.com

RELATED PRODUCTS


3188582

O-RING 75,2X5,33 VITON



3188581

STRAINER INSERT 32 MESH



EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL eurolube@alentec.se

PHONE +46 (0)8-747 67 10

FAX +46 (0)8-715 20 74

 www.eurolube.com