



## MIXING UNIT WITH EJECTOR 20-50%

MANUFACTURE AND DEVELOPMENT USING THE LATEST TECHNOLOGY

[WWW.EUROLUBE.COM](http://WWW.EUROLUBE.COM)

## MIXING UNIT WITH EJECTOR 20-50%

Water operated mixing unit with ejector for windshield fluids, adjustable with nozzles between 20% to 50% mix. The wall mounted unit has a suction attachment for connection to the concentrate container.

Includes:

Water operated mixing unit, Mixing tank, Suction tube L = 0,9m x Ø25mm.

- Pump NOT included, see connection kit 117-14 and pump 11716.

### TECHNICAL DATA

Part No	117-15
Capacity	15 l/min
Packaging LxWxH	1,2 x 0,6 x 0,35 m
Weight (Gross)	10 kg
H.S. Code	73102990



## EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL [eurolube@alentec.se](mailto:eurolube@alentec.se)

PHONE +46 (0)8-747 67 10


FAX +46 (0)8-715 20 74

 [www.eurolube.com](http://www.eurolube.com)

## RELATED PRODUCTS

**117-14**

CONNECTION KIT FOR STUB PUMP 117-15



**12740**

STAINLESS STEEL PUMP 4:1 30 L/MIN FREE FLOW



## EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL [eurolube@alentec.se](mailto:eurolube@alentec.se)

PHONE +46 (0)8-747 67 10

FAX +46 (0)8-715 20 74

 [www.eurolube.com](http://www.eurolube.com)