



C115 - 3:1 OIL PUMP STUB

MANUFACTURE AND DEVELOPMENT USING THE LATEST TECHNOLOGY

 WWW.EUROLUBE.COM

C115 - 3:1 OIL PUMP STUB

EuroLube's C115 & C150-series High performance air operated Oil & Grease Pumps, for demanding applications within: Industry • Off-Road Equipment • Mining & construction • Heavy fleets service • Marine. The C115 & 60 series pumps have been specifically designed to deliver through long pipe lines or to multiple dispensing points of all kind of Oil and Grease at continuous high flow rates and to lead the competition in technology and innovation. Our wide range of pumps provides the necessary confidence to offer solutions for fast moving large volumes at long distances.

TECHNICAL DATA

Part No	13770
Ratio	3:1
Capacity	120 l/min free flow
Air connection	1/2" (F) BSP
Maximum air pressure	1,2 (12) MPa (bar)
Inlet	1 1/2" (F) BSP
Outlet	3/4" (F) BSP
Pump tube	90 (200) Ø (length) mm
Seals	NBR/PU
Packaging LxWxH	0,75 x 0,31 x 0,27 m
Weight (Gross)	18,7 kg
H.S. Code	84131100



EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL *eurolube@alentec.se

PHONE +46 (0)8-747 67 10


FAX +46 (0)8-715 20 74

 www.eurolube.com

RELATED PRODUCTS

16705

WALL BRACKET FOR HD PUMPS



16709

FLOOR BRACKET FOR HD PUMPS



EUROLUBE EQUIPMENT

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL *eurolube@alentec.se

PHONE +46 (0)8-747 67 10

FAX +46 (0)8-715 20 74

 www.eurolube.com