



## C115 - 6:1 OIL PUMP STUB

High performance air operated oil pump, for demanding applications within: Industry • Off-Road Equipment • Mining & Construction • Heavy fleets service • Marine. The C115-series pumps have been specifically designed to deliver through long pipe lines or to multiple dispensing points of all kind of Oil at continuous high flow rates and to lead the competition in technology and innovation. Our wide range of pumps provides the necessary confidence to offer solutions for fast moving large volumes at long distances

TECHNICAL DATA	
Part No	15755
Ratio	6:1
Capacity	100 l/min free flow
Air connection	1/2" (F) BSP
Maximum air pressure	1,2 (12) MPa (bar)
Inlet	1 1/2" (F) BSP
Outlet	3/4" (F) BSP
Pump tube	70 (200) Ø (length) mm
Seals	NBR/PU
Packaging LxWxH	0,74 x 0,31 x 0,28 m
Weight (Gross)	18,65 kg
H.S. Code	84131100



## **EUROLUBE EQUIPMENT**

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL \*eurolube@alentec.se PHONE **+46 (0)8-747 67 10** FAX **+46 (0)8-715 20 74** 



## RELATED PRODUCTS

16705 WALL BRACKET FOR HD PUMPS



**16709** FLOOR BRACKET FOR HD PUMPS





## **EUROLUBE EQUIPMENT**

by Alentec & Orion AB, Grustagsvägen 4, SE-138 40 Älta, Sweden

EMAIL \*eurolube@alentec.se PHONE **+46 (0)8-747 67 10** FAX **+46 (0)8-715 20 74** 

